Contents to volume 242

Meeting Report

The guanine-nucleotide binding proteins: EMBO-NATO-CEC advanced research workshop organized by L. Bosch, B. Kraal and A. Parmeggiani in Renesse, The Netherlands, August 6–11, 1988 (FEB 06578) *A. Pingoud, B.M. Willumsen, D. Gallwitz, S.B. Masters, J.W.B. Hershey* 1

Research Letters

Mitochondrial ribosomes of yeast: isolation of individual proteins and N-terminal sequencing (FEB 06591) *H.-R. Graack, L. Grohmann, T. Choli* 4

Predictions of linear T-cell and B-cell epitopes in proteins encoded by HIV-1, HIV-2 and SIV_{MAC} and the conservation of these sites between strains (FEB 06590) *M.J.J.M. Zvelebil, M.J.E. Sternberg, J. Cookson, A.R.M. Coates* 9

The terminal protein of minute virus of mice is an 83 kilodalton polypeptide linked to specific forms of double-stranded and single-stranded viral DNA (FEB 06587) *M. Gunther, P. Tattersall* 22

Location of DNA-binding segment of a positive regulator, OmpR, involved in activation of the *ompF* and *ompC* genes of *Escherichia coli* (FEB 06588) *S. Tate, M. Kato, Y. Nishimura, Y. Arata, T. Mizuno* 27

Complete cDNA encoding a putative phospholipase C from transformed human lymphocytes (FEB 06589) *S. Ohta, A. Matsui, Y. Nazawa, Y. Kagawa* 31

Cloning, sequencing and expression of the lipase gene from *Pseudomonas fragi* IFO-12049 in *E. coli* (FEB 06427) *S. Aoyama, N. Yoshida, S. Inouye* 36

Characterization of a bovine acidic FGF cDNA clone and its expression in brain and retina (FEB 06453) *J. Alterio, C. Halley, C. Brou, T. Soussi, Y. Courtois, M. Laurent* 41

Distinct dystrophin mRNA species are expressed in embryonic and adult mouse skeletal muscle (FEB 06593) *G. Dickson, J.A. Pizzey, V.E. Elsom, D. Love, K.E. Davies, F.S. Walsh* 47

Monoclonal antibodies which differentiate high- and low-affinity binding sites of interleukin-2 (FEB 06592) *H. Takemoto, Y. Murai, M. Ide* 53

Effect of hydrocortisone on sialyltransferase activity in the rat small intestine during maturation: Changes along the villus-crypt axis and in fetal organ culture (FEB 06601) *J. Kolínská, S. Ivanov, H. Chelibonova-Lorer* 57

CCK and gastrin inhibit adenylate cyclase activity through a pertussis toxin-sensitive mechanism in the tumoral rat pancreatic acinar cell line AR 4-2J (FEB 06598) *J.L. Scemama, P. Robberecht, M. Waelbroeck, P. De Neef, L. Pradayrol, N. Vaysse, J. Christophe* 61

An endogenous ligand for the central sulfonylurea receptor (FEB 06596) *A. Virsolvy-Vergine, M. Brück, M. Dufour, A. Cauvin, B. Lupo, D. Bataille* 65

The cupric site in nitrous oxide reductase contains a mixed-valence [Cu(II),Cu(I)] binuclear center: a multifrequency electron paramagnetic resonance investigation (FEB 06594) *P.M.H. Kroneck, W.A. Antholine, J. Riester, W.G. Zumft* 70

Activation enthalpies and pH dependence of phenol hydroxylase from *Trichosporon cutaneum*, in vitro and in situ (FEB 06579) *M. Mörtberg, H.Y. Neujahr* 75

Measurement of cytosolic free Ca^{2+} in individual pancreatic acini (FEB 06597) *W.F. Pralong, C.B. Wollheim, R. Bruzzone* 79

Na^+-driven ATP synthesis in *Methanobacterium thermoautotrophicum* can be modulated with sodium ion concentrations in the growth medium (FEB 06599) *P. Šmigáň, Ľ. Horovská, M. Greksák* 85

Light scattering changes and protein distortion in the bacteriorhodopsin during the photocycle (FEB 06612) *J. Czégé* 89

Somatostatin activates glibenclamide-sensitive and ATP-regulated K^+ channels in insulinoma cells via a G-protein (FEB 06611) *M. Fosset, H. Schmid-Antomarchi, J.R. de Weille, M. Lazdunski* 94

Phosvitin kinase activity in *Acholeplasma axanthum* (FEB 06604) *M.W. Platt, S. Rottem* 97

Halothane, an inhalation anesthetic, activates protein kinase C and superoxide generation by neutrophils (FEB 06603) *M. Tsuchiya, E. Okimasu, W. Ueda, M. Hirakawa, K. Utsumi* 101

Identification of a novel protein phosphatase catalytic subunit by cDNA cloning (FEB 06618) *O.B. da Cruz e Silva, E.F. da Cruz e Silva, P.T.W. Cohen* 106

Primary structure of rabbit sperm protamine, the first protamine of its type with an aberrant N-terminal (FEB 06605) *H. Ammer, A. Henschen* 111

Demonstration of immunochemical identity between the synaptic vesicle proteins synaptin and synaptophysin/p38 (FEB 06607) *H. Gaardsvoll, D. Obendorf, H. Winkler, E. Bock* 117

Characterization of the kinetics of neural cell adhesion molecule homophilic binding (FEB 06609) *N. Moran, E. Bock* 121

Plasminogen activator inhibitor 1 (PAI) is bound to vitronectin in plasma (FEB 06606) *B. Wiman, Å. Almquist, O. Sigurdardottir, T. Lindahl* 125

Diffusion of fluorescein-labelled molecules in suspensions of erythrocyte ghosts (FEB 06610) *J. Järnefelt, T. Laurent, R. Rigler* 129

A pulsed EPR study of redox-dependent hyperfine interactions for the nickel centre of *Desulfovibrio gigas* hydrogenase (FEB 06600) *A. Chapman, R. Cammack, C.E. Hatchikian, J. McCracken, J. Peisach* 134

Presence of tyrosine-*O*-sulfate in sheep pituitary prolactin (FEB 06613) *R. Kohli, N. Chadha, K. Muralidhar* 139

Expression of the vasopressin and oxytocin genes in rats occurs in mutually exclusive sets of hypothalamic neurons (FEB 06608) *E. Mohr, U. Bahnsen, C. Kiessling, D. Richter* 144

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/89/$3.50 © 1989 Federation of European Biochemical Societies

Regulation of yeast fructose-1,6-bisphosphatase in strains containing multicopy plasmids coding for this enzyme (FEB 06614) *R. de la Guerra, M.D. Valdés-Hevia, J.M. Gancedo* 149
Identification of the human hepatic microsomal glucose-6-phosphatase enzyme (FEB 06615) *A. Burchell, I.D. Waddell, J.L. Countaway, W.J. Arion, R. Hume* 153
N-terminal amino acid sequence of the chromosomal dihydrofolate reductase purified from trimethoprim-resistant *Staphylococcus aureus* (FEB 06623) *P.G. Hartman, M. Stähli, H.P. Kocher, R.L. Then* 157
Sequencing and synthesis of pardaxin, a polypeptide from the Red Sea Moses sole with ionophore activity (FEB 06620) *Y. Shai, J. Fox, C. Caratsch, Y.-L. Shih, C. Edwards, P. Lazarovici* 161
Isolation and characterisation of GLP-1 7–36 amide from rat intestine: Elevated levels in diabetic rats (FEB 06628) *B. Kreymann, Y. Yiangou, S. Kanse, G. Williams, M.A. Ghatei, S.R. Bloom* 167
The effects of vascular smooth muscle caldesmon on force production by 'desensitised' skeletal muscle fibres (FEB 06617) *M.J. Taggart, S.B. Marston* 171
Increased muscarinic receptor binding in heart membranes by an inhibitor of protein kinase C (FEB 06619) *T.L. Creazzo, R.W. Wrenn* 175
^{1}H-NMR studies on nucleotide binding to the catalytic sites of bovine mitochondrial F_1-ATPase (FEB 06635) *J. Garin, P.V. Vignais, A.M. Gronenborn, G.M. Clore, Z. Gao, E. Baeuerlein* 178
ESR studies on iron-sulfur clusters of complex II in *Ascaris suum* mitochondria which exhibits strong fumarate reductase activity (FEB 06629) *A. Hata-Tanaka, K. Kita, R. Furushima, H. Oya, S. Itoh* 183
Yeast adenylate kinase is transcribed constitutively from a promoter in the short intergenic region to the histone H2A-1 gene (FEB 06616) *U. Oechsner, V. Magdolen, C. Zoglowek, U. Häcker, W. Bandlow* 187
Pyruvate kinase type M_2 is phosphorylated at tyrosine residues in cells transformed by Rous sarcoma virus (FEB 06602) *P. Presek, M. Reinacher, E. Eigenbrodt* 194
Potassium channels expressed from rat brain cDNA have delayed rectifier properties (FEB 06696) *W. Stühmer, M. Stocker, B. Sakmann, P. Seeburg, A. Baumann, A. Grupe, O. Pongs* 199

Notes to Authors 207

FEBS NEWS

FEBS Advanced Courses 1989 209

Discussion Letter

A unique signature identifies a family of zinc-dependent metallopeptidases (FEB 06654) *C.V. Jongeneel, J. Bouvier, A. Bairoch* 211

Research Letters

^{87}Rb NMR studies of the perfused rat heart (FEB 06626) *J.L. Allis, C.D. Snaith, A.-M.L. Seymour, G.K. Radda* 215
Improved strategies for the determination of protein structures from NMR data: the solution structure of acyl carrier protein (FEB 06625) *T.A. Holak, M. Nilges, H. Oschkinat* 218
The structure and properties of horse muscle acylphosphatase in solution: Mobility of antigenic and active site regions (FEB 06627) *V. Saudek, R.J.P. Williams, G. Ramponi* 225
Analysis of murine interferon-γ binding to its receptor on intact cells and solubilized membranes: Identification of an 80 kDa receptor (FEB 06630) *F. Cofano, S. Landolfo, E. Appella, S.J. Ullrich* 233
Interleukin-6 is the major regulator of acute phase protein synthesis in adult human hepatocytes (FEB 06595) *J.V. Castell, M.J. Gómez-Lechón, M. David, T. Andus, T. Geiger, R. Trullenque, R. Fabra, P.C. Heinrich* 237
One of two subunits of masking protein in latent TGF-β is a part of pro-TGF-β (FEB 06631) *F. Okada, K. Yamaguchi, A. Ichihara, T. Nakamura* 240
The tetanus toxin light chain inhibits exocytosis (FEB 06637) *G. Ahnert-Hilger, U. Weller, M.-E. Dauzenroth, E. Habermann, M. Gratzl* 245
Calcium regulates the rate of rhodopsin disactivation and the primary amplification step in visual transduction (FEB 06638) *R. Wagner, N. Ryba, R. Uhl* 249
Ricin A-chain induces fusion of small unilamellar vesicles at neutral pH (FEB 06621) *T. Utsumi, A. Ide, G. Funatsu* 255
A fifth chloroplast-encoded polypeptide is present in the photosystem II reaction centre complex (FEB 06636) *A.N. Webber, L. Packman, D.J. Chapman, J. Barber, J.C. Gray* 259
N-terminal sequencing of photosystem II low-molecular-mass proteins: 5 and 4.1 kDa components of the O_2-evolving core complex from higher plants (FEB 06622) *M. Ikeuchi, K. Takio, Y. Inoue* 263
One left-handed strand in DNA-oligonucleotide complexes? (FEB 06632) *F. Gago, W.G. Richards* 270
Selective cleavage of skeletal myosin subfragment-1 to form a 26 kDa peptide which shows ATP-sensitive actin binding (FEB 06624) *A.J. Griffiths, I.P. Trayer* 275
Observations on the cytoplasmic and vacuolar orthophosphate pools in leaf tissues using in vivo ^{31}P-NMR spectroscopy (FEB 06656) *B.C. Loughman, R.G. Ratcliffe, T.E. Southon* 279
The refined 2.0 Å X-ray crystal structure of the complex formed between bovine β-trypsin and CMTI-I, a trypsin inhibitor from squash seeds (*Cucurbita maxima*): Topological similarity of the squash seed inhibitors with the carboxypeptidase A inhibitor from potatoes (FEB 06641) *W. Bode, H.J. Greyling, R. Huber, J. Otlewski, T. Wilusz* 285
Effect of redox potential on rat liver F_1-ATPase (FEB 06650) *M.J. López-Zabalza, F. Flores, E. Santiago, N. López-Moratalla* 293
The fast-twitch muscle calsequestrin isoform predominates in rabbit slow-twitch soleus muscle (FEB 06652) *L. Fliegel, E. Leberer, N.M. Green, D.H. MacLennan* 297

Characterization of sites of serine phosphorylation in human placental insulin receptor copurified with insulin-stimulated serine kinase activity by two-dimensional thin-layer peptide mapping (FEB 06646) *D.M. Smith, G.J. Sale* 301
Evidence for a type II topoisomerase in wheat chloroplasts (FEB 06655) *K.A. Pyke, J. Marrison, R.M. Leech* 305
Identification of cholera toxin-binding sites in the nucleus of intestinal epithelial cells (FEB 06653) *M.E. Parkinson, C.G. Smith, P.B. Garland, S. van Heyningen* 309
Identification of the cartilage α1(XI) chain in type V collagen from bovine bone (FEB 06651) *C. Niyibizi, D.R. Eyre* 314
Reconstitution of apo-porphobilinogen deaminase: structural changes induced by cofactor binding (FEB 06644) *A.I. Scott, K.R. Clemens, N.J. Stolowich, P.J. Santander, M.D. Gonzalez, C.A. Roessner* 319
Cleavages of aromatic ring and *β-O*-4 bond of synthetic lignin (DHP) by lignin peroxidase (FEB 06647) *T. Umezawa, T. Higuchi* 325
Protein kinase C is involved in regulation of Ca^{2+} channels in plasmalemma of *Nitella syncarpa* (FEB 06648) *O.M. Zherelova* 330
Photoaffinity labelling of the oxytocin receptor in plasma membranes from rat mammary gland (FEB 06639) *M. Müller, M.S. Soloff, F. Fahrenholz* 333
Depolarization of human neuroblastoma cells as a result of muscarinic receptor-induced rise in cytosolic Ca^{2+} (FEB 06643) *K.E.O. Åkerman* 337
Glucose-induced cAMP signaling in *Saccharomyces cerevisiae* is mediated by the CDC25 protein (FEB 06657) *T. Munder, H. Küntzel* 341
Stimulation of transcription from different RNA polymerase II promoters by high mobility group proteins 1 and 2 (FEB 06649) *D.J. Tremethick, P.L. Molloy* 346
Identification of the major $tRNA^{Phe}$ binding domain in the tetrameric structure of cytoplasmic phenylalanyl-tRNA synthetase from baker's yeast (FEB 06642) *F. Fasiolo, A. Sanni, S. Potier, J.P. Ebel, Y. Boulanger* 351
Induction of expression of protein disulphide-isomerase during lymphocyte maturation stimulated by bacterial lipopolysaccharide (FEB 06640) *J.L. Paver, R.B. Freedman, R.M.E. Parkhouse* 357
Site-selective 8-chloroadenosine 3′,5′-cyclic monophosphate inhibits transformation and transforming growth factor α production in Ki-*ras*-transformed rat fibroblasts (FEB 06645) *G. Tortora, F. Ciardiello, S. Ally, T. Clair, D.S. Salomon, Y.S. Cho-Chung* 363
Inhibition by cyclic AMP of guanine nucleotide-induced activation of phosphoinositide-specific phospholipase C in human platelets (FEB 06676) *Y. Yada, S. Nagao, Y. Okano, Y. Nozawa* 368
myo-Inositol 1,4,5-trisphosphorothioate is a potent competitive inhibitor of human erythrocyte 5-phosphatase (FEB 06659) *A.M. Cooke, S.R. Nahorski, B.V.L. Potter* 373
Cell surface fibronectin of mouse peritoneal macrophages (FEB 06660) *M. Beppu, H. Masa, K. Kikugawa* 378
Eicosanoids are regulatory molecules in γ-interferon-induced endothelial antigenicity and adherence for leucocytes (FEB 06663) *D. Leszczynski, P. Häyry* 383
Sarafotoxin receptors mediate phosphoinositide hydrolysis in various rat brain regions (FEB 06672) *Y. Kloog, I. Ambar, E. Kochva, Z. Wollberg, A. Bdolah, M. Sokolovsky* 387
The $[Ca^{2+}]_i$ increase induced in murine thymocytes by extracellular ATP does not involve ATP hydrolysis and is not related to phosphoinositide metabolism (FEB 06673) *C. El-Moatassim, T. Maurice, J.-C. Mani, J. Dornand* 391
Hydroxyl radical generation and DNA strand scission mediated by natural anticancer and synthetic quinones (FEB 06675) *G.V. Rumyantseva, L.M. Weiner, E.I. Frolova, O.S. Fedorova* 397
XANES spectroscopy sensitivity to small electronic changes: Case of carp azidomethemoglobin (FEB 06665) *S. Pin, V. Le Tilly, B. Alpert, R. Cortes* 401
Crystallization and preliminary *X*-ray analysis of porin from *Rhodobacter capsulatus* (FEB 06671) *U. Nestel, T. Wacker, D. Woitzik, J. Weckesser, W. Kreutz, W. Welte* 405
Short model peptides having a high α-helical tendency: design and solution properties (FEB 06667) *J.L. Krstenansky, T.J. Owen, K.A. Hagaman, L.R. McLean* 409
Hormone synthesis in human thyroglobulin: possible cleavage of the polypeptide chain at the tyrosine donor site (FEB 06666) *C. Marriq, P.-J. Lejeune, N. Venot, L. Vinet* 414
Developmental regulation of five subunit specific mRNAs encoding acetylcholine receptor subtypes in rat muscle (FEB 06670) *V. Witzemann, B. Barg, M. Criado, E. Stein, B. Sakmann* 419
cDNA cloning and nucleotide sequence of rat muscle-specific enolase (ββ enolase) (FEB 06661) *Y. Ohshima, H. Mitsui, Y. Takayama, E. Kushiya, K. Sakimura, Y. Takahashi* 425
SecA protein is directly involved in protein secretion in *Escherichia coli* (FEB 06677) *H. Kawasaki, S. Matsuyama, S. Sasaki, M. Akita, S. Mizushima* 431
A 10 kDa polypeptide associated with the oxygen-evolving complex of photosystem II has a putative C-terminal non-cleavable thylakoid transfer domain (FEB 06664) *A.N. Webber, L.C. Packman, J.C. Gray* 435
Characterization of the two rRNA gene operons present in *Thiobacillus ferrooxidans* (FEB 06662) *O. Salazar, M. Takamiya, O. Orellana* 439
Interaction between bacteriophage T_4 coded gene 32 protein and poly(rA) (FEB 06674) *F. Watanabe* 444

Book Reviews and Booklist no. 86 447

Author Index 461

Table of Contents 467

Notes to Authors 471

FEBS NEWS

FEBS Advanced Courses 1989 473